

Reviews in Clinical Gerontology

<http://journals.cambridge.org/RCG>

Reviews in
CLINICAL
GERONTOLOGY

Additional services for *Reviews in Clinical Gerontology*:

Email alerts: [Click here](#)

Subscriptions: [Click here](#)

Commercial reprints: [Click here](#)

Terms of use : [Click here](#)



What is resilience? A review and concept analysis

Gill Windle

Reviews in Clinical Gerontology / Volume 21 / Issue 02 / May 2011, pp 152 - 169
DOI: 10.1017/S0959259810000420, Published online: 21 December 2010

Link to this article: http://journals.cambridge.org/abstract_S0959259810000420

How to cite this article:

Gill Windle (2011). What is resilience? A review and concept analysis. *Reviews in Clinical Gerontology*, 21, pp 152-169 doi:10.1017/S0959259810000420

Request Permissions : [Click here](#)

What is resilience? A review and concept analysis

Gill Windle

Dementia Services Development Centre, Institute of Medical Social Care Research, Bangor University, UK

Summary

The complexities of defining what appears to be the relatively simple concept of resilience are widely recognized. This paper analyses the concept of resilience from a range of disciplinary perspectives and clarifies a definition in order to inform research, policy and practice. The work takes a life course approach to resilience, examining evidence derived from research across the lifespan. It incorporates the methods of systematic review, concept analysis and consultation through face-to-face meetings. The synthesis of methodological approaches enables a clear identification of the antecedents, defining attributes and consequences of resilience, validated with stakeholder partners. Through this process, resilience is defined as the process of effectively negotiating, adapting to, or managing significant sources of stress or trauma. Assets and resources within the individual, their life and environment facilitate this capacity for adaptation and ‘bouncing back’ in the face of adversity. Across the life course, the experience of resilience will vary. A large proportion of resilience research is routed within the discipline of developmental psychology, and has mainly been developed with children and adolescents. A major contribution to resilience research could be made through more multi-disciplinary studies that examine the dynamics of resilience across the lifespan, its role in healthy ageing and in managing loss, such as changes in cognitive functioning.

Key words: resilience, systematic review, concept analysis, life course.

Introduction

Research on resilience has increased substantially over the past two decades¹ and is now also receiving increasing interest from those involved with policy and practice in relation to its potential impact on health, well-being and quality of life. This interest is due to a move away from ‘deficit’ models of illness and psychopathology, as

resilience theory focuses on understanding healthy development despite risk, and on strengths rather than weaknesses.²

Unfortunately the complexities of defining what appears to be the relatively simple concept of resilience are widely recognized, especially within the behavioural sciences.^{1,3–5} This creates considerable challenges when developing an operational definition of resilience; definitional variation leads to inconsistencies relating to the nature of potential risk and protective processes, and in the estimates of prevalence.^{1,3} A review of resilience research reporting prevalence data noted that the proportions found to be resilient varied from 25 to 84%.⁶

This has strong implications for improving knowledge about the factors that contribute to the development, maintenance or reduction of resilience and how resilience might be promoted to improve health and well-being. It is noted that many of the debates around the definition of resilience could be addressed by better science, including ‘rigorous attention to sharpening concepts’.⁵ In order to inform future research more clarity is required. This should be derived from a thorough methodological assessment to ensure it is underpinned by a robust scientific approach.

Limitations of current research on the concept of resilience

A number of discussion papers have contributed substantially to the study of resilience and their value to the advancement of knowledge on the topic is immense.^{2,3,5,7–10} However, in most cases these critiques have been mainly embedded within the discipline of developmental psychology and derived from studies of children and adolescents. Their content is rich and extremely informative, but it has not been developed from a clear methodological approach; for example, methods for obtaining the papers discussed are not presented.

Address for correspondence: Dr Gill Windle, Dementia Services Development Centre, Institute of Medical Social Care Research, Bangor University, Ardudwy, Holyhead Road, Bangor, Gwynedd LL57 2PX, UK. Email: g.windle@bangor.ac.uk

Previous work has examined the concept of resilience within a recognized analytical framework: concept analysis.^{11,12} Concept analysis is a method of conceptual knowledge representation and data analysis that is routinely applied to clarify meanings and develop operational definitions, through considering evidence from multiple disciplines.¹³ The application of this recognized methodological framework enables a more objective approach to concept clarification and addresses differences in application within diverse scientific disciplines.

Unfortunately there are a number of methodological limitations with both of these previous concept analyses of resilience.^{11,12} In the analysis presented by Dyer and McGuiness¹¹ the aims of the analysis are not clear, which is a first step of concept analysis.¹³ The search strategies for the literature reviews are not provided, nor is a rationale for which data should be included or excluded in the analysis. This presents a key drawback regarding the extent of the coverage of the research literature, as without a thorough, systematic approach it is quite possible that key omissions were made. This is particularly evident in both papers. For example, Gillespie *et al.*¹² state that self efficacy, hope and coping are the defining attributes of resilience. Dyer and McGuiness¹¹ state that a sense of self, determination and pro-social attitude are the defining attributes. Whilst these constructs may be implicated in resilience, it is not clear why these specific ones were chosen whilst other, equally possible constructs (e.g. self esteem, competence) were excluded. Neither of the papers synthesize the literature to provide an operational definition of resilience.

As highlighted previously, the method of concept analysis can be poorly applied. Beckwith *et al.*¹⁴ note that various concept analysis frameworks have been applied uncritically, and may not contain sufficient scientific rigour to add to theoretical development. Paley¹⁵ also notes that, within concept analysis, there is often a lack of clarity regarding the specification of how the defining attributes of the concept under question are identified. This has implications for identifying what might be viewed as a model case of resilience, or identifying other concepts that may be related to resilience, or indeed have been used in research to demonstrate resilience, but on closer inspection may not actually share all of the defining attributes.

Research objective

To address the need for concept clarification and improve the methodological approach in achieving this outcome, the aim of this paper is to present a review of the literature within a concept analysis framework. This will enable a more robust, theoretically informed measurement framework for future research on resilience. This paper synthesizes methodological approaches and draws on a range of disciplinary perspectives to address the question: 'how can resilience be best defined in order to inform research, policy and practice?'

Specifically, the analysis will:

- (i) clarify the meaning of the concept of resilience from a multi-disciplinary perspective;
- (ii) develop an operational definition that is meaningful across different disciplines and stakeholders, and can be universally understood and applied across research, policy and practice;
- (iii) highlight implications for future research.

To determine the definition of resilience, this paper draws on three approaches: concept analysis, literature review using systematic principles, and stakeholder consultation. Full details of the methods can be downloaded from: <http://resilience.bangor.ac.uk/Work%20Programme%20Methodology.pdf>

Resilience – identifying uses of the concept

Dictionary definitions

Resilience originates from the Latin 'resilire' (to leap back). General dictionary definitions note that the noun 'resilience' is a derivative of the adjective 'resilient,' which has two uses:

- (i) 1. able to recoil or spring back into shape after bending, stretching, or being compressed; 2. (of a person) able to withstand or recover quickly from difficult conditions.¹⁶
- (ii) 1. (of a person) recovering easily and quickly from misfortune or illness; 2. (of an object) capable of regaining its original shape or position after bending or stretching.¹⁷

Resilience is also defined in discipline-specific dictionaries as:




Figure 1. Flow diagram of review process

- (i) the rate at which a system regains structure and function following a stress or perturbation;¹⁸
- (ii) the personal quality of a person exposed to high risk factors that often lead to delinquent behaviour, but they do not do so;¹⁹
- (iii) a measure of a body's resistance to deformation. Resilience is usually defined as the work required to deform an elastic body to its elastic limit divided by the volume of the body.²⁰

The academic search yielded a large amount of potential papers, which were primarily routed in the disciplines of psychology and the social sciences. The disciplines of education, health and medicine feature to a lesser extent. Figure 1 summarizes the process of the review.

Common within many of the papers was the recognition of the difficulties in defining resilience. Many authors went to commendable lengths to justify their description of the concept, drawing on theory and other research to inform their choice. In many instances authors did not present their own definition of resilience, but discussed

the definitions and applications of other key researchers in the field of resilience research. Due to the volume of papers identified and to avoid repetition, a representative overview is presented. This was ascertained through examining the authors' definition, and the supporting citations. These reflect the uses of the concept within different disciplines.

Developmental psychology

Underpinning the rationale for many researchers is the early work from developmental psychology on stress-resistant children by Garmezev,²¹ who set the scene for subsequent research to explore how protective factors might function. Masten *et al.*²² defined resilience as the process of, capacity for, or outcome of successful adaptation despite challenging or threatening circumstances. Observations from longitudinal research spanning four decades describe resilience as an innate self-righting mechanism.²³ More recently resilience has been defined as good outcomes in spite of serious threats to adaptation or development.²⁴

Context – the life course

In many instances the risk or adversity is not an isolated event that the person is able to actively change. For example, a common adversity in studies of resilient children and adolescents is poverty and deprivation. From a life course perspective poverty and deprivation can persist. However, as adults develop there are a number of other adverse occurrences that create irreversible losses, such as bereavement of friends and relatives, unemployment, divorce and ill-health.

In relation to the study of older age, Staudinger *et al.*²⁵ propose that the management of loss should also be considered. Adaptation to situations such as chronic illness may be at a lower level of functioning, but should still be considered resilience, given the context of the adversity.²⁶ In his research of adult trauma and bereavement, Bonnano^{7,27} recognizes this distinction in the experience of adversity and notes that adult adversities are more likely to be isolated, but are potentially highly disruptive. He defines adult resilience as an individual's capacity to resist maladaptation in the face of risky experiences and to maintain a stable equilibrium. From a longitudinal perspective, resilience has been defined as the ability to 'bounce back' from adversity and go on with life.²⁸ Within a lifespan development framework, the examination of the ability to bounce back from earlier dysfunction can highlight adaptation and turning points at all stages of the life course.³² This reflects the notion of 'steeling effects', an important aspect of Rutter's work³⁰ in relation to the life course, where effective negation of risk exposure earlier in life facilitates a resilient response later.

Environmental perspectives on resilience

As with the dictionary definitions, there are definitions used within specific academic disciplines. From the ecological perspective comes the idea of social resilience, the ability of groups or communities to cope with external stresses and disturbances as a result of social, political and environmental change.³¹ In the face of an environmental disaster, social-ecological resilience is defined as how far a particular relationship between social processes (e.g. informal networks within civil society and the private sector) and ecological dynamics can be disturbed without

dramatic loss of complexity of both, rather than the speed at which the *status quo* can be restored after disturbance.³² In the context of school and education, resilience is the ability to thrive academically despite adverse circumstances.^{33,34}

Biology and psychiatry

From the field of psychiatry, overcoming stress or adversity is how Rutter³³ views resilience, with a focus on relative resistance to psychosocial risk experiences. He notes that the identification of resilience requires examining a range of possible psychological outcomes, not just a focus on an unusually positive one or on super-normal functioning. The limited number of papers that looked at the neuroscience/biological contributors to resilience define it as competent functioning despite adversity, but emphasize it is a 'dynamic process that is influenced by neural and psychological self-organisation, as well as transactions between the ecological context and the developing organism'.⁸ Nigg *et al.*³⁵ also highlight that the avoidance of psychopathology is critical to resilience. From a genetics perspective, resilience can be viewed as the degree to which the person at genetic risk for maladaptation and psychopathology are not affected.³

Personal characteristics

Others suggest that resilience represents personal qualities that enable the individual to thrive in the face of adversity,³⁶ or that resilience is a relatively stable personality trait³⁷ characterized by the ability to overcome, steer through and bounce back from adversity.³⁸ Alternatively it may be viewed as a personality factor that protects against life adversities and negative emotions by resourceful adaptation, flexibility and inventiveness.³⁹ From the policy perspective, in 'Equally Well', a report from the Ministerial Task Force in Health Inequalities,⁴⁰ resilience is also viewed as an individual attribute and is defined as a personal strength/vulnerability that can influence socio-economic inequalities in health. The focus of resilience as a personal attribute has generally been addressed more within the adult literature than with children.⁹ Also, the examination of resilience by assessment of personality characteristics is a point of debate in the literature and warrants

discussion. The main point of contention is that psychological resilience is viewed by some as a fixed, stable personality trait^{37,41} and that resilience is not, and cannot be, an observed trait.⁴² Others exercise caution against referring to any representations of resilience as a stable personality trait/characteristic, as this implies that a person who does not have this attribute is somehow a failure.³

Resilience as a process

As resilience research has developed, so has the focus of study, away from identifying some of the key factors associated with resilience, to understanding the mechanisms by which they might operate. In this context, resilience refers to a dynamic process encompassing positive adaptation within the context of significant adversity.³ Resilience has been described as processes and patterns of positive adaptation in development, during or following threats to adaptation.⁴³ Hjerdal *et al.*⁴⁴ define resilience as the protective factors, processes and mechanisms that contribute to a good outcome despite experiences with stressors that carry significant risks for mental ill health. Policy from the World Health Organisation views resilience as something that embraces positive adaptation, with protective factors and assets that moderate risk factors and therefore reduce the impact of risk on outcomes.⁴⁵ The American Psychological Association⁴⁶ defines resilience as the process of adapting well in the face of adversity, trauma, tragedy, threats, or even significant sources of stress – such as family and relationship problems, serious health problems, or workplace and financial stressors. It means ‘bouncing back’ from difficult experiences.

Diversity in the operation of resilience

In a review of the literature, Masten⁷ suggests that the concept of resilience has been described as (1) developing well in the context of high cumulative risk for developmental problems (beating the odds, better than predicted development); (2) functioning well under currently adverse conditions (stress-resistance/coping); (3) recovery to normal functioning after catastrophic adversity or severe deprivation (bouncing back, normalization). As well as examining resilience, research in the UK

by Bartley and colleagues also includes capability, referring to the ability to react and adapt positively when things go wrong.⁴⁷ They use a multi-dimensional definition of resilience, which refers to the process of withstanding negative effects of risk exposure, demonstrating positive adjustment in the face of trauma or adversity and beating the odds associated with risks, focusing on socio-economic disadvantage and poverty.

Stakeholder perspectives

In order to extend scientific definitions and reflect a wider perspective from service users and providers, stakeholders were asked in consultation workshops to consider how they would define resilience. Their responses reflected experiences from their own lives, which they felt might enhance or be detrimental to resilience. Considering that the stakeholder group was not familiar with the academic research on resilience, their ‘reality driven’ perspectives generally reflect those posed by science and dictionaries (see Figure 2). The stakeholders felt that the term ‘bouncing back’ was meaningful and gave an implicit understanding of the concept and what it represents.

Determining the defining attributes of resilience

The overview of uses of resilience so far highlights some diversity but many similarities in how it has been defined across a range of areas, confirming the complexity that underlies the concept. All the identified uses of the concept are considered beneficial for the further stages of the analysis. How resilience is defined reflects how it might be measured and so assessment is intricately tied up with issues of definition. Through the next steps of the analysis, an in-depth exploration of the antecedents, defining attributes and consequences will assist with concept clarification; whether resilience is best viewed within a dynamic, multi-dimensional model or as a unitary construct.

This step requires identification of the attributes most frequently associated with the concept. This phase has important implications for measurement as, alongside the identification of the antecedents and consequences, it can provide a useful basis for developing measures and evaluating existing ones.¹⁵ The definitions highlight a number of factors that could be considered defining attributes


- 
- "Resilience is like a bouncing ball – a resilient person bounces back and keeps going".
 - "Resilience is the ability to overcome difficulties and move on"
 - "Enhancing resilience may need good health, resources and a certain amount of risk taking."
 - "Resilience can be developed through exposure to a difficulty - you have to fight for everything – it gives you a different perspective"
 - "Whether you become resilient may depend on how the difficulties currently being experienced are socially acceptable within your culture at that moment in time."
 - "Motivation is part of resilience – not feeling too old to try something new – People may not feel motivated because they conform to societal stereotyping, which can lead to social isolation, therefore it is important to be open to new ideas and experiences"
 - "For disabled children, families/support networks are important."
 - "Health problems are a challenge to resilience"
 - "Collective exposure to strife, e.g. wars may foster a collective sense of resilience – *everyone's in it together*"
 - "The support structures available for church goers can be important when faced with adversity – the church community *'will wrap round'*"

Figure 2. Examples of stakeholder comments

of resilience (e.g. adversity, resistance, adaptation). However, to understand resilience it is also important to understand what underlies these attributes and the subsequent outcomes.

In order for resilience to be achieved, a consensus within research is for the role of protective factors, also referred to as 'assets', 'resources' or 'strengths'.^{12,23,33,51–56} These are recognized as crucial in achieving resilience and, through their dynamic interplay, enable the ability to respond positively to risks and alter or reduce the effects of adversity. In other words, they facilitate the competence/capability that enables resistance to adversity and underlies the process of adaptation.⁵⁴ Competence is the capacity or motivation for, or process of effective adaptation⁴³ and enables adaptive use of resources within and outside the person. It is based on the beliefs of perceived effectiveness in adaptation and arises from interactions with the environment. Experiences that enable successful adaptation can inspire

further confidence to overcome future challenges and set-backs. Competence has been identified as an essential component of the resilience experience.² The protective factors have commonly been identified across three levels of functioning: (1) individual (e.g. psychological, neurobiological), (2) social (e.g. family cohesion, parental support) and (3) community/society (e.g. support systems generated through social and political capital, institutional and economic factors).^{55,56} Some researchers^{2,57} distinguish the individual level protective factors as assets, whereas resources are viewed as external to the individual. Assets might include factors such as competence and efficacy; resources encompass the contextual or environmental influences, such as family support and community services. Figure 3 presents an example of the multiple layers at which health promoting factors might occur. A full discussion of protective factors is beyond the scope of this paper (for more detailed reviews see Charney,⁵⁸




Figure 3. Example of the layers of resources and assets that facilitate resilience (from A. Sacker, personal communication, September 2009; adapted from Dahlgren & Whitehead, 1991, with permission)

Curtis & Cicchetti,⁸ Luthar,²⁹ Mowbray *et al.*,⁵² Masten⁵ and Vanderbilt-Adriance & Shaw⁶).

Antecedents

Antecedents are the events that must happen prior to the occurrence of the concept.¹³ Within resilience research, a necessary requirement is the experience of a risk or adversity that carries a significant threat for the development of a negative outcome. The context of the adversity could be biological, psychological, economic or social, and cover areas such as stress,⁵⁹ diagnosis of Alzheimer's disease,⁴⁸ the impact of poverty and economic disadvantage,⁶⁰ refugee children,⁶¹ children in care,⁶² caring,⁶³ ill-health in older age,⁶⁴ and bereavement.⁶⁵ Within neurobiological approaches, from a developmental perspective, resilience has been identified from studying why childhood adversity leads to maladjustment in some children but not others.⁶⁶ Others have explored why some individuals exposed to trauma develop post-traumatic stress disorder (PTSD) while others do not.⁶⁷ Neighbourhood deprivation has been found to contribute to depression in some individuals, but not others.⁴¹

A key point is that it is misleading to use the term resilience if a stressor, under normal circumstances with a majority of people, would not ordinarily pressure adaptation and lead to negative

outcomes.⁶⁸ Vanderbilt-Adriance & Shaw⁶ also caution that not all risks are equivalent in severity; some may be acute and others chronic and persistent. Thus any findings for the occurrence of resilience can only be considered within the context of that specific adversity.

Consequences

Consequences are the end-points that occur as a result of the antecedents and attributes of resilience. Having considered the previously outlined definitions within resilience research, the required outcomes of resilience should reflect the maintenance of normal development or functioning (mental or physical health), or better than expected development or functioning, given exposure to the adversity under question. This might not necessarily be an exceptionally positive outcome. Within a life span developmental perspective, the resilience process is often referred to as positive adaptation or adjustment.^{2,3,30}

It is worth noting that some of the conceptual difficulties around resilience are determined by the criteria researchers use to assess how the outcome is a 'good' one and reflects adaptation. Within child and adolescent research, the achievement of salient developmental tasks in the face of adversity, such as learning to read and write, attending and behaving properly at school, are viewed as positive outcomes.²⁴

The nature of the risk/adversity could be used to guide the strength of resilience, for example for severe to catastrophic events, the maintenance of near-average functioning is adequate.⁶⁹ Also within the context of severe adversity, a return to normal functioning or 'recovery' may be sufficient.²⁴ It is also important to consider the meaning of the adversity to the individual, as it may amplify or attenuate subjective distress,⁷⁰ which suggests that in an ideal research design, both subjective and objective outcome measures be incorporated.

Other research with older adults defines a resilient outcome as flourishing despite adversity.⁷¹ However, within a resilience framework, superior functioning is not the expected outcome. The term 'flourishing' tends to be placed more in the realms of positive psychology, where the focus is on good outcomes for all individuals, not just those who experience significant difficulties.²⁹ Rutter³⁰ also cautions that the study of resilience should examine a range of possible [psychological] outcomes, rather than focus on an unusually positive one, or on super-normal functioning. If too narrow a range of outcomes are considered, or reliance is placed on one data source, or if there is measurement at only one point in time, resilience may be artefactual.

Similarly, within the disciplines of prevention of substance abuse and psychopathology, the absence or avoidance of psychopathology, or low levels of symptoms, are viewed as a good outcome.^{29,72} This approach has been criticised by Olsson *et al.*,⁵⁴ who note that considerable adolescent research has demonstrated that young people functioning well under high stress often show higher levels of emotional distress compared with their low-stress peers, and so resilience may not be the absence of distress and measuring such outcomes may be misleading. Indeed, the presence of distress AND the maintenance of competence may be one of the strongest forms of resilience. The key point is that there is no necessary expectation that protection from stress and adversity should lead to positive experiences.³⁰

Defining empirical referents

According to Walker & Avant¹³ empirical referents are 'classes or categories of actual phenomena that by their existence or presence demonstrate the occurrence of the concept itself'. This aspect of concept analysis is concerned with how resilience

would be measured. There are three key features emerging from the analysis that demonstrate the experience of resilience: the encounter with adversity, the ability to resist and adapt to the adversity, and the avoidance of a negative outcome. A simple assessment of resilience then needs to consider: (a) what is the risk or adversity?, (b) which assets/resources might offset the effect of the risk?, and (c) is the outcome better than could be expected (comparing with a group of individuals not at risk, or comparing on the presence or absence of the assets/resources)? Researchers have utilized two main approaches to the study of resilience that address these three key features, described by Masten²⁴ as variable focused and person focused approaches.

Variable focused approaches

These use multi-variate statistics to examine the relationships between adversity, outcome and the protective factors/assets. Within the variable focused approach are three models – compensatory, protective and challenge – which explain how the protective factors can alter the effects of adversity on outcome.

The compensatory model reflects the independent contribution of risks or resources to the outcome and involves examining their direct (main) effects. Resources with direct effects can be beneficial at both high- and low-risk conditions (see Figure 4A). This main effects approach is commonly examined through multiple regression procedures or structural equation modelling.

The protective model describes how the presence of resources will influence the direction and/or strength of the risk, usually depicted as moderating or reducing the effects of the risk under question on a negative outcome. Conversely, it could moderate the effects in a positive direction. This type of model is commonly tested through the inclusion of an interaction term between the risk and protective factor in multiple regression. The effects of the interactions in protection models can also demonstrate the operation of different processes. Luthar⁷³ proposes a more detailed range of operational criteria to describe these interactive processes. 'Protective-stabilizing' describes stability despite increasing risk when the protective factor is present (see Figure 4B). 'Protective reactive' describes how the protective factor might present an advantage, but this is less




Figure 4. Models of resilience

so when the risks are higher (see Figure 4C). This is an important approach for explaining resilience in later life in the face of chronic illness. Windle *et al.*⁶⁴ found evidence for both of these two models across different age cohorts. In those aged 60–69 years, higher levels of psychological resilience gave stability in well-being despite increases in ill health (protective stabilizing). For those aged 70–79 and 80–90 years, psychological resilience provided an advantage, but slightly less so when ill health was higher (protective reactive).

The challenge model describes a curvilinear relationship between a risk factor and outcome. Here exposure to low levels and high levels of risk are associated with negative outcomes, but moderate levels are associated with better outcomes. In these models, the risk and protective factors examined are the same variable, the distinguishing feature being the level of exposure. This model assumes that moderate levels of risk can be important for learning how to overcome challenges. This approach is commonly examined with polynomial terms in multiple regression.² When examined longitudinally, it enables an examination of whether the experience of overcoming adversity strengthens people's resistance to later risks and challenges. To illustrate, Schoon⁷⁵ found that at age 5, children with good reading ability but who experienced family economic disadvantage were similar to others with good reading ability but whose family had no economic problems. However, by the age of 16, the economically disadvantaged children had declined dramatically and were doing worse in exams than economically privileged children who had poor reading skills at age 5. This suggests that despite the advantage of educational resilience earlier in life, it was not able to protect against the persistent effects of economic disadvantage.

Person focused approach

This aims to identify comparative groups of individuals from within similar high levels of adversity who show patterns of good or poor adaptation, simultaneously assessed by multiple criteria, so as to identify the factors that might lead to risk or be assets.²⁴ This approach is often used to classify the proportion who may be determined resilient. For example, in examining the characteristics of youths living in poverty, Buckner *et al.*⁶⁰ operationalize resilience as the presence

of competences, adaptive functioning and lack of significant mental health problems. Through this categorization, 29% were classed as resilient and the authors were able to distinguish differences between groups. The non-resilient experienced more negative life events, chronic strains and abuse, whereas the resilient has greater self-regulatory skills and self esteem and received more active parental monitoring.

In the context of 'bouncing back', using data from the British Household Panel Survey, resilience was suggested for those people who had increasing scores on a mental status measure (GHQ-12) after exposure to adversity (functional limitation, bereavement or marital separation, poverty), but returned to its pre-exposure level after 1 year.²⁸

Resilience measurement scales

Other researchers have developed resilience measurement scales, some of which have been examined in a review of instruments appropriate for the study of resilience in adolescents⁷⁶ and all age groups.⁷⁷ Notably, the majority of self report scales are based primarily on individual, psychological resilience and require more validation work.

Identifying model case

This is an example of the use of the concept that demonstrates all the defining characteristics. The following illustrate examples of resilience research that encompass the necessary antecedents, the defining attributes and the consequences.

Lin and colleagues⁷⁸ investigated variables at multiple levels (the environment, the family and the individual child) that differentiate children who manifest clinically significant levels of mental health problems from those children who do not, after experiencing the death of a primary care giver. Bereaved children were classified into one of two subgroups (resilient or affected) based on their scores on measures of mental health problems. Those who scored below the clinical cut-off level on every measure of mental health were considered resilient. Children who scored above the clinical cut-off level on any measure were considered affected. The analyses found that differences between the bereaved resilient *versus* bereaved affected status was related to family and

child variables. Higher levels of caregiver warmth and discipline and lower levels of caregiver mental health problems were family-level variables that significantly differentiated resilient children from affected children. Bereaved children's perceptions of less threat in response to negative events and greater personal efficacy in coping with stress were child-level variables that differentiated resilient from affected status.

Schoon *et al.*⁷⁹ examined the influence of socioeconomic adversity on school adjustment during adolescence (age 16) and long-term consequences of school adjustment for the transition from school to work (age 33), whilst considering factors (parental and individual resources, teacher expectations) that might buffer such adversity. They found that overall, socioeconomic adversity was a significant risk factor for educational failure and that it influences consequent adjustment in work and health related outcomes at the age of 33, as assessed by qualifications, socio-economic status (SES) and self reports of general health and mental status. In examining the protective factors at age 16, the negative effects of economic adversity on exam score was halved through including parental involvement and aspirations, own educational motivation and aspirations, teacher expectations and behaviour. Interactions amongst the protective factors and socioeconomic adversity were negative and demonstrated that any protective effects were found more amongst those at lower risk. For this group the important predictors of exam performance were own educational motivation and teacher expectations and also behaviour adjustment, own job aspirations and parental involvement with the school. For those experiencing socioeconomic adversity, the most important factor predicting exam performance was teacher expectations, followed by own educational motivation and own job aspirations, parental aspirations and parental involvement with the school, respectively.

Identifying additional cases

It is recommended that other concepts be examined in order to address possible overlap, and more importantly to clarify the true nature of the concept in question.¹³ A number of concepts (addressed below) are often substituted for describing resilience; they may contain some

aspects of resilience, or a component of resilience, but are not true examples.

Borderline case

A borderline case very closely resembles the concept in question, and could often be mistaken for it. Further distinguishing features are that a borderline case should also differ substantially in one of the defining characteristics.¹³ A closely related concept is the Sense of Coherence (SOC). This is a core component of the theory of the origins of health – salutogenesis.⁸⁰ Both resilience and salutogenesis are developed from observations of how people manage difficult situations and display positive adaptation and stay well. Both theories incorporate protective factors, known as generalized resistance resources in salutogenesis. However, where these two approaches may differ relates to the operation of the constructs. In salutogenesis, the generalized resistance resources lead to life experiences that promote a strong SOC and this sense of coherence is the key focus. In contrast, resilience would subsume SOC as one of the defining attributes, but not the only one. Thus SOC could be considered part of the process leading to a resilient outcome, but not the only aspect. Resilience research would ideally focus on measuring and analysing multiple levels of function and their interactions. SOC may be one of these levels, but a resilience framework would place an emphasis on an actual examination of SOC across other levels or resilience, in relation to adversity.

Although both theories have focused on health outcomes, resilience can also be applied to wider outcomes. For example, Sacker and Schoon⁵⁷ looked at educational resilience, examining the role of educational and personal assets and family resources in supporting young people from socially disadvantaged family backgrounds to stay on in school beyond the mandatory school leaving age. Another distinction is that Antonovsky postulated that SOC was mainly formed in the first three decades of life. Resilience theory acknowledges the dynamic nature of assets and resources, thus nothing is fixed.

Nevertheless, salutogenesis is intricately tied in with resilience, and it has been suggested that a historical lack of multi-disciplinary integration has meant that theoretical perspectives on

salutogenesis (from the discipline of medical sociology) and resilience (largely from the disciplines of psychiatry and developmental psychology) have perhaps not been synthesized to the extent that they should have.⁸¹

Related case

These are related to the concept being studied, but do not contain all of the defining attributes.¹³ Kobasa⁸² introduced the concept of hardiness, which has been defined as a stable personality resource that consists of three psychological attributes: commitment, challenge, and control. Commitment refers to an ability to turn events into something meaningful and important; control refers to the belief that, with effort, individuals can influence the course of events around them, and challenge refers to a belief that fulfilment in life results from the growth and wisdom gained from difficult or challenging experiences.⁸³ Like resilience, hardiness has been used in the study of its associations with lower levels of psychopathology in the face of stress. However, the defining point which distinguishes hardiness from resilience is that it is a stable personality trait whereas resilience is viewed as something dynamic that will change across the lifespan. Moreover, hardiness measures are designed to detect stability.

Ego-resiliency⁸⁴ has been used on occasion by researchers to measure resilience. It is proposed as an enduring psychological construct that characterizes human adaptability. It is a developmental process of impulse control, where the individual learns to regulate behaviour so as to turn events into pleasant experiences and not into adverse consequences. It is assumed that ego-resilience renders a pre-disposition to resist anxiety and to engage positively with the world.

Whilst it shares a number of similarities with the attributes and consequences of the resilience concept under question in this paper, in contrast to resilience, ego-resiliency does not depend on risk or adversity. Rather it is part of the process of dealing with general, day-to-day change. Also ego-resiliency is a personality trait, whereas resilience is a far broader phenomenon. As with the sense of coherence, ego-resiliency may be one of the protective factors implicated in a resilient outcome, but it would be incorrect to use this as an indicator of resilience *per se*.

Contrary case

A contrary case is a clear example of something that is not resilience. The high functioning of individuals under conditions of no/low risk or adversity is not considered resilience. The model of successful ageing⁸⁵ is an example of a contrary case. In order to meet the criteria for successful ageing, there must be a low probability of disease and disease-related disability, including the absence of risk factors for disease, high cognitive and physical functional capacity and active engagement with life.⁸⁵ A resilience framework would acknowledge the possibility that ill-health and functional incapacity might be present, but that their potentially negative influence would not necessarily lead to a poor outcome. Importantly, people are not invulnerable, but resilient.

Discussion

The analysis identifies three necessary requirements for resilience: the need for a significant adversity/risk, the presence of assets or resources to offset the effects of the adversity, and positive adaptation or the avoidance of a negative outcome. Based on this analysis, the following definition encompasses all of the key characteristics:

Resilience is the process of effectively negotiating, adapting to, or managing significant sources of stress or trauma. Assets and resources within the individual, their life and environment facilitate this capacity for adaptation and 'bouncing back' in the face of adversity. Across the life course, the experience of resilience will vary.

This analysis has taken a novel approach to clarifying the nature of resilience, drawing on three approaches that cover both academic and stakeholder perspectives – systematic review, concept analysis and consultation workshops. This process has enabled the identification of important areas that might have otherwise been overlooked if just using one approach, enabling a deeper understanding of what is meant by resilience. Consultation with stakeholders provided a valuable contribution to the academic work. Their perspectives on resilience as a multi-level construct, encompassing the individual and the wider environment has helped to ensure that the final definition is one that has the potential for

wider application, and could be universally applied and understood in 'real world' settings.

The robust methodological approach in this paper improves on that of the previous concept analyses of resilience.^{11,12} In contrast to the previous two papers, the systematic framework in this paper provides a replicable search strategy and transparent inclusion and exclusion criteria, thereby minimizing the possibility of selection bias. The process of systematically identifying resilience literature over the past 20 years enabled earlier theoretical formulations of the concept to be synthesized with more recent developments. This also ensured that early landmark papers on resilience were incorporated. Diverse uses of the concept were identified through exploring resilience within different disciplines.

This paper utilized actual examples from the research literature to illustrate examples of actual cases and related cases of resilience. This contrasts with the methods of other researchers using concept analysis,^{11,86,87} who restricted their illustrations of the defining attributes of the concepts under question by using hypothetical scenarios. Whilst this may have served as a useful method of clarification, the lack of engagement with actual, theoretically derived examples does not assist with clarifying any scientific overlap.

Analysing and synthesizing this large volume of research has enabled the key characteristics of resilience to be thoroughly examined. This methodical approach demonstrates that resilience is the product of a dynamic process that first requires exposure to a significant threat or adversity. Protective resources or assets are the defining attributes of resilience. Examining the interplay between resources and risk is an important aspect of resilience research and can highlight mechanisms underlying vulnerability or adaptation.^{5,29,88} It is important to understand how such factors interact with or mediate adversity and risk to increase or decrease the opportunity for resilience.

Within a lifespan developmental framework, the dynamic nature of resilience indicates it is not fixed, but will fluctuate over time, as new vulnerabilities and strengths arise from changing life circumstances²⁹ (p. 741). Research from children and adolescents suggests that the protection from risk is also influenced by earlier experiences, and that across the lifespan different factors may play a distinct role from earlier.^{30,89}

It is suggested that the mental health impact of adversity in later life is mediated by psychological resources and social factors inherited from earlier years.⁹⁰ Certain factors might predispose to other experiences that actually mediate the risk. Poverty is a risk for psychopathology in children, but this may be more due to the effects of poverty on impaired family functioning and family relationships.³⁰ Understanding the process of resilience, through the consideration of its defining attributes, can enable examination of how a resilient response at one point in life may help facilitate further resilience in later life, identifying both its stability and changes.

The life course approach considers the developmental pathways of the concept. It is then clear that a requirement for understanding the process of resilience is the acknowledgement of its complexity; resilience operates across multiple levels, which interact with each other. These levels reflect the human ecology framework, also described as Ecological Systems Theory.⁹¹ Although mainly used for understanding child development, this theory has been receiving considerable attention in the gerontology literature and is cited in the resilience literature. This framework aims to understand people in the environments in which they live, and to evaluate their interactions with these environments. People do not exist in isolation but interact with, and are influenced by, their physical, social and environmental contexts. Thus the functioning of the defining attributes of resilience can be further explained within this theoretical framework.

Implications for further research

It is also noteworthy that a large proportion of resilience research is routed within the discipline of developmental psychology, and has mainly been developed with children and adolescents. There is a consensus from child and adolescent research as to what the most important factors may be,⁵ especially for the role of relationships.²⁹ However, the salience of these factors may vary across the life span. Far less is known about the process of resilience in adulthood^{7,92} and even less has followed individuals over their life time to ascertain the value of protective factors as people age. Most research with adults into trauma and loss has only included treatment-seeking populations⁷. A key

question is whether the factors that lead to adult resilience follow a similar profile to those found for children and adolescents, and whether they function in a cumulative and interactive manner⁷.

Neuroscience/biological approaches to resilience are notably missing from resilience research.⁹ To date, most of the biological contribution to the area is derived from the effects of early care-giving environment. A major contribution to resilience research could be made through more multi-disciplinary studies that examine the dynamics of resilience across the lifespan, its role in healthy ageing and managing loss, such as changes in cognitive functioning. As the methods for measuring and analysing multiple levels of functioning and their interactions improves,⁵ the dynamics underlying resilience should be a key focus for future research.

The theoretical basis for resilience clearly acknowledges that protective factors operate across a number of levels. In order for interventions to be most effective, theory would imply that interventions need to consider the dynamic interplay across these different levels, and not just focus on developing individual strengths. Little research has looked at the mechanisms by which adversities, protective resources, or interventions work.^{9,3} Research on children has examined diverse sources of resilience, whereas research on adults has focused more on personal attributes, such as personality characteristics. Less attention has been paid to the extent to which these attributes are influenced by other factors.⁹ This has important implications for what might be considered the target for the development of interventions. Will strengthening individual, psychological resilience achieve better results than if the focus was on improving the resources available in the immediate environment (e.g. social support), or within the wider environmental context (e.g. support through health and social services?), and how might one level interact with another?

Another point is that positive adaptation may not occur across all spheres of life. A review notes that although some high-risk children show positive outcomes in one domain, in 10 out of 13 studies examined this did not generalize to other domains.⁶ Luthar *et al.*³ suggest that at-risk children who are resilient in specific domains (e.g. high academic grades), should show positive performance on conceptually related measures, such as classroom behaviour. Thus resilience may

be best measured in its related context. It has been suggested that more precision could be gained by using terms to describe the nature of the resilience experience being studied,³ e.g. psychological resilience,⁷⁴ educational resilience^{57,94} or cognitive resilience.⁹⁵ From their review of the literature, Vanderbilt-Adriance & Shaw⁶ conclude that the lack of consistency in positive outcomes over the life course and across domains suggest that 'global resilience' is rare and recommend researchers are more specific about relating the concept of resilience to the relevant domain outcome.

Conclusion

This theoretical exploration of the concept of resilience highlights how interlaced with normal, everyday life resilience is, reflecting its multi-disciplinary roots. It would suggest that for many, providing the right resources are available, exposure to risks and adversity may not result in a poor outcome. In relation to intervention, the context in which people live could be altered, the services and treatment received could be improved and individual assets could be enhanced so as to enable a better chance for health and well-being, even when faced with substantial risk and adversity. Importantly, the complex interplay between these layers should be recognized and the underlying processes explored. For those experiencing persisting, chronic adversities, psychopathology could be averted providing that the individual is able to draw on a range of resources within themselves and their immediate environment, and that the wider environment is also supportive. The suggestion by Richardson⁵¹ that resilience may be the driving force that controls the universe may be a little overstated, but the capacity for 'ordinary magic'²⁴ and the opportunity for positive adaptation should be an option for everyone.

Conflicts of interest

The author has no conflicts of interest to declare.

Acknowledgements

This paper has been developed as part of the work of the Resilience and Healthy Ageing

Network, funded through the UK Lifelong Health and Wellbeing Cross-Council Programme. The LLHW Funding Partners are: Biotechnology and Biological Sciences Research Council, Engineering and Physical Sciences Research Council, Economic and Social Research Council, Medical Research Council, Chief Scientist Office of the Scottish Government Health Directorates, National Institute for Health Research/The Department of Health, The Health and Social Care Research & Development of the Public Health Agency (Northern Ireland), and Wales Office of Research and Development for Health and Social Care, Welsh Assembly Government.

The author would like to thank the network members for their inspiring discussions on the topic: Dr Cherie McCracken (Liverpool University), Professors Jane Noyes and Jo-Rycroft Malone (Bangor University) for their helpful comments on the paper, and Jenny Perry, Eryl Roberts and Marta Ceisla (Bangor University) for their assistance with abstract screening and identification of papers.

References

- 1 Haskett ME, Nears K, Ward CS, McPherson AV. Diversity in adjustment of maltreated children: Factors associated with resilient functioning. *Clin Psychol Rev* 2006; **26**: 796–812.
- 2 Fergus S, Zimmerman MA. Adolescent resilience: a framework for understanding healthy development in the face of risk. *Ann Rev Public Health* 2005; **26**: 399–419.
- 3 Luthar S, Cicchetti D, Becker B. The construct of resilience: a critical evaluation and guidelines for future work. *Child Dev* 2000; **71**: 543–62.
- 4 Kaplan HB. Toward an understanding of resilience: A critical review of definitions and models. In Glantz MD, Johnson JR (eds). *Resilience and Development: Positive Life Adaptations*. New York: Plenum, 1999; pp. 17–83.
- 5 Masten A. Resilience in developing systems: Progress and promise as the fourth wave rises. *Dev Psychopathol* 2007; **19**: 921–30.
- 6 Vanderbilt-Adriance E, Shaw DS. Conceptualizing and re-evaluating resilience across levels of risk, time, and domains of competence. *Clin Child Family Psychol Rev* 2008; **11**: 30–58.
- 7 Bonnano GA. Loss, trauma, and human resilience: Have we underestimated the human capacity to thrive after extremely aversive events? *Am Psychol* 2004; **59**: 20–28.
- 8 Curtis WJ, Cicchetti D. Moving research on resilience into the 21st century: Theoretical and methodological considerations in examining the biological contributors to resilience. *Dev Psychopathol* 2003; **15**: 773–810.
- 9 Luthar SS, Brown PJ. Maximizing resilience through diverse levels of inquiry: Prevailing paradigms, possibilities, and priorities for the future. *Dev Psychopathol* 2007; **19**: 931–55.
- 10 Luthar SS, Cicchetti D. The construct of resilience: Implications for interventions and social policies. *Dev Psychopathol* 2000; **12**: 857–85.
- 11 Dyer JG, McGuinness TM. Resilience: Analysis of the concept. *Arch Psychiat Nursing* 1996; **10**: 276–82.
- 12 Gillespie BM, Chaboyer W, Wallis M, Grimbeek P. Resilience in the operating room: Developing and testing of a resilience model. *J Adv Nursing* 2007; **59**: 427–38.
- 13 Walker LO, Avant KC. *Strategies for Theory Construction in Nursing*. New Jersey: Pearson Prentice Hall; 2005.
- 14 Beckwith S, Dickinson A, Kendall S. The ‘con’ of concept analysis: A discussion paper which explores and critiques the ontological focus, reliability and antecedents of concept analysis frameworks. *Int J Nursing Studies* 2008; **45**: 1831–41.
- 15 Paley J. How not to clarify concepts in nursing. *J Adv Nursing* 1996; **24**: 572–78.
- 16 *The Oxford Dictionary of English*, revised edition [Internet]. Oxford: Oxford University; 2005 (accessed 14 October 2009). Available at: <http://www.oxfordreference.com>
- 17 *The Collins English Dictionary*, 10th edn [Internet]. London: Collins; 2010 (accessed 22 June 2010). Available at: <http://www.collinsenglishlanguage.com>
- 18 *A Dictionary of Environment and Conservation* [Internet]. Oxford: Oxford University Press; 2007. Oxford Reference Online. Oxford University Press (accessed 14 October 2009). Available at: <http://www.oxfordreference.com>
- 19 *The Oxford Dictionary of Law Enforcement* [Internet]. Oxford: Oxford University Press; 2007 (accessed 14 October 2009). Available at: <http://www.oxfordreference.com>
- 20 *The Oxford Dictionary of Sports Science & Medicine* [Internet]. Oxford: Oxford University Press; 2007 (accessed 14 October 2009). Available at: <http://www.oxfordreference.com>
- 21 Garnezy N. Stress resistant children: The search for protective factors. In Stevenson JE (ed). *Recent Research in Developmental Psychology*. *J Child Psychol Psychiat* 1985 (book supplement no. 4).
- 22 Masten AS, Best KM, Garnezy N. Resilience and development: Contributions from the study of

- children who overcome adversity. *Dev Psychopathol* 1990; 2: 425–44.
- 23 Werner E, Smith R. Overcoming the odds: High-risk children from birth to adulthood. New York: Cornell University Press; 1992.
- 24 Masten AS. Ordinary magic: Resilience processes in development. *Am Psychol* 2001; 56: 227–38.
- 25 Staudinger UM, Marsiske M, Baltes PB (eds). Resilience and reserve capacity in later adulthood: Potentials and limits of development across the lifespan, vol 2. New York: Wiley; 1995.
- 26 Greve W, Staudiner U. Resilience in later adulthood and old age: resources and potentials for successful ageing. In Cohen DJ, Cicchetti D (eds). *Development and Psychopathology*, vol 3, Risk, disorder and adaptation; pp. 796–840. USA: Wiley & Sons; 2006.
- 27 Bonanno GA. Clarifying and extending the construct of adult resilience. *Am Psychol* 2005; 60: 265–67.
- 28 Netuveli G, Wiggins RD, Montgomery SM, Hildon Z, Blane D. Mental health and resilience at older ages: bouncing back after adversity in the British Household Panel Survey. *J Epidemiol Community Health* 2008; 62: 987–91.
- 29 Luthar SS. Resilience in development: A synthesis of research across five decades. In Cohen DJ, Cicchetti D (eds). *Development and Psychopathology*, vol 3, Risk, disorder and adaptation (pp. 739–795). USA: Wiley & Sons; 2006.
- 30 Rutter M. Resilience concepts and findings: Implications for family therapy. *J Family Therapy* 1999; 21: 119–144.
- 31 Adger WN. Social and ecological resilience: Are they related? *Prog Human Geog* 2000; 24: 347–64.
- 32 Goldstein BE. Skunkworks in the embers of the cedar fire: Enhancing resilience in the aftermath of disaster. *Human Ecology* 2008; 36: 15–28.
- 33 Kitano MK, Lewis RB. Resilience and coping: Implications for gifted children and youth at risk. *Roeper Review* 2005; 27: 200–5.
- 34 Sutherland D. Resiliency and collateral learning in science in some students of Cree ancestry. *Science Education* 2005; 89: 595–613.
- 35 Nigg J, Nikolas M, Friderici K, Park L, Zucker RA. Genotype and neuropsychological response inhibition as resilience promoters for attention deficit/hyperactivity disorder, oppositional defiant disorder, and conduct disorder under conditions of psychosocial adversity. *Dev Psychopathol* 2007; 19: 767–86.
- 36 Connor KM, Davidson JRT. Development of a new resilience scale: The connor-davidson resilience scale (CD-RISC). *Depression Anxiety* 2003; 18: 76–82.
- 37 Kirkwood T, Bond J, May C, McKeith I, The M. Foresight mental capital and wellbeing project. Mental capital through life: Future challenges [Internet]. London: The Government Office for Science; 2010 (accessed 2010). Available at: http://www.foresight.gov.uk/Mental%20Capital/Mental_capital_through_life.pdf
- 38 Ong AD, Bergeman CS, Bisconti TL, Wallace KA. Psychological resilience, positive emotions, and successful adaptation to stress in later life. *J Personality Social Psychol* 2006; 91: 730–49.
- 39 Roth M, von Collani G. A head-to-head comparison of big-five types and traits in the prediction of social attitudes: Further evidence for a five-cluster typology. *J Individ Diff* 2007; 28: 138–49.
- 40 The Scottish Government. Equally Well. Report of the Ministerial Task Force on Health Inequalities, vol 2. Edinburgh: The Scottish Government; 2008.
- 41 Silk JS, Vanderbilt-Adriance E, Shaw DS, Forbes EE, Whalen DJ, Ryan ND, Dahl RE. Resilience among children and adolescents at risk for depression: Mediation and moderation across social and neurobiological context. *Dev Psychopathol* 2007; 19: 841–65.
- 42 Rutter M. Resilience, competence and coping. *Child Abuse Neglect* 2007; 31: 205–9.
- 43 Masten AS, Burt KB, Coatsworth D. Competence and psychopathology in development. In Cohen DJ, Cicchetti D (eds). *Development and Psychopathology*, vol 3, Risk, disorder and adaptation (pp. 697–738). USA: Wiley & Sons; 2006.
- 44 Hjemdal O, Friborg O, Stiles TC, Rosenvinge JH, Martinussen M. Resilience predicting psychiatric symptoms: A prospective study of protective factors and their role in adjustment to stressful life events. *Clinical Psychol Psychother* 2006; 13: 194–201.
- 45 Friedli L. Mental health, resilience and inequalities. Denmark: World Health Organisation; 2009.
- 46 American Psychological Association. The road to resilience [Internet], 2009. Available at: http://www.nus.edu.sg/uhc/cps/CARE/eCare/vol4_Jan10/The%20road%20to%20
- 47 Bartley M, Schoon I, Mitchell R, Blane D. Resilience as an asset for healthy development. In Ziglio E, Morgan A (eds). *Health Assets and the Social Determinants of Health*. Venice: WHO European Office for Investment for Health and Development; 2009.
- 48 Braudy-Harris PB. Another wrinkle in the debate about successful aging: The undervalued concept

- of resilience and the lived experience of dementia. *Int J Aging Human Dev* 2008; **67**: 43–61.
- 49 Donoghue EM, Sturtevant VE. Social science constructs in ecosystem assessments: Revisiting community capacity and community resiliency. *Society Nat Res* 2007; **20**: 899–912.
- 50 Mowbray CT, Woolley ME, Grogan-Kaylor A, Gant LM, Gilster ME, Shanks TRW. Neighborhood research from a spatially oriented strengths perspective. *J Community Psychol* 2007; **35**: 667–80.
- 51 Richardson GE. The metatheory of resilience and resiliency. *J Clin Psychol* 2002; **58**: 307–21.
- 52 Punamäki RL, Qouta S, El Sarraj E, Montgomery E. Psychological distress and resources among siblings and parents exposed to traumatic events. *Int J Behav Dev* 2006; **30**: 385–97.
- 53 Ryan LG, Miller-Loessi K, Nieri T. Relationships with adults as predictors of substance use, gang involvement, and threats to safety among disadvantaged urban high-school adolescents. *Journal of Community Psychology* 2007; **35**: 1053–71.
- 54 Olsson CA, Bond L, Burns JM, Vella-Brodrick DA, Sawyer SM. Adolescent resilience: A concept analysis. *J Adolescence* 2003; **26**: 1–11.
- 55 Garmezy N. Resiliency and vulnerability to adverse developmental outcomes associated with poverty. *Am Behav Scientist* 1985; **34**: 416–30.
- 56 Werner EE. Resilience in development. *Curr Directions Psychol Sci* 1995; **4**: 81–85.
- 57 Sacker A, Schoon I. Educational resilience in later life: resources and assets in adolescence and return to education after leaving school at age 16. *Social Sci Res* 2007; **36**: 873–96.
- 58 Charney D. Psychobiological mechanisms of resilience and vulnerability: implications for successful adaption to extreme stress. *Am J Psychiat* 2004; **161**: 195–216.
- 59 Freeman T, Kimbrell T, Booe L, Myers M, Cardwell D, Lindquist DM, Hart J, Komoroski RA. Evidence of resilience: Neuroimaging in former prisoners of war. *Psychiat Res: Neuroimaging* 2006; **146**: 59–64.
- 60 Buckner JC, Mezzacappa E, Beardslee WR. Characteristics of resilient youths living in poverty: The role of self-regulatory processes. *Dev Psychopathol* 2003; **15**: 139–62.
- 61 Daud A, af Klinteberg B, Rydelius P. Resilience and vulnerability among refugee children of traumatized and non-traumatized parents. *Child Adolescent Psychiat Mental Health* 2008; **2**: 7.
- 62 Flynn RJ, Ghazal H, Legault L, Vandermeulen G, Petrick S. Use of population measures and norms to identify resilient outcomes in young people in care: An exploratory study. *Child Family Social Work* 2004; **9**: 65–79.
- 63 Horton TV, Wallander JL. Hope and social support as resilience factors against psychological distress of mothers who care for children with chronic physical conditions. *Rehabil Psychol* 2001; **46**: 382–99.
- 64 Windle G, Woods B, Markland DA. Living with ill-health in older age: the role of a resilient personality. *J Happiness Studies* 2009 (epublished 21 October 2009).
- 65 Mancini AD, Bonanno GA. Resilience in the face of potential trauma: Clinical practices and illustrations. *J Clin Psychol* 2006; **62**: 971–85.
- 66 Curtis WJ, Cicchetti D. Emotion and resilience: A multilevel investigation of hemispheric electroencephalogram asymmetry and emotion regulation in maltreated and nonmaltreated children. *Dev Psychopathol* 2007; **19**: 811–840.
- 67 Hoge EA, Austin ED, Pollack MH. Resilience: Research evidence and conceptual considerations for posttraumatic stress disorder. *Depression Anxiety* 2007; **24**: 139–52.
- 68 Roisman GI. Conceptual clarifications in the study of resilience. *Am Psychol* 2005; **60**: 264–65.
- 69 Masten AS, Hubbard JJ, Gest SD, Tellegen A, Garmezy N, Ramirez M. Competence in the context of adversity: Pathways to resilience and maladaptation from childhood to late adolescence. *Dev Psychopathol* 1999; **11**: 143–69.
- 70 Yehuda R, Flory JD. Differentiating biological correlates of risk, PTSD, and resilience following trauma exposure. *J Traumatic Stress* 2007; **20**: 435–47.
- 71 Hildon Z, Smith G, Netuveli G, Blane D. Understanding adversity and resilience at older ages. *Sociology Health Illness* 2008; **30**: 726–40.
- 72 Waller MA, Okamoto SK, Hankerson AA, Hibbeler T, Hibbeler P, McIntyre P *et al*. The hoop of learning: A holistic, multisystemic model for facilitating educational resilience among indigenous students. *J Social Social Welfare* 2002; **29**: 97–116.
- 73 Luthar SS. Methodological and conceptual issues in the study of resilience. *J Child Psychol Psychiat* 1993; **34**: 441–53.
- 74 Windle G, Markland DA, Woods B. Examination of a theoretical model of psychological resilience in older age. *Aging Mental Health* 2008; **12**: 285–92.
- 75 Schoon I. *Risk and Resilience: Adaptation in Changing Times*. Cambridge: Cambridge University Press; 2006.

- 76 Ahern NR, Kiehl EM, Sole ML, Byers J. A review of instruments measuring resilience. *Issues Comp Pediatric Nursing* 2006; **29**: 103–25.
- 77 Windle G, Bennett K, Noyes J. A methodological review of resilience measurement scales. *Health and Quality of Life Outcomes* (in press).
- 78 Lin KK, Sandler IN, Ayers TS, Wolchik SA, Luecken LJ. Resilience in parentally bereaved children and adolescents seeking preventive services. *J Clin Child Adolescent Psychol* 2004; **33**: 673–83.
- 79 Schoon I, Parsons S, Sacker A. Socio-economic adversity, educational resilience, and subsequent levels of adult adaptation. *J Adolescent Res* 2004; **19**: 383–404.
- 80 Antonovsky A. *Health, Stress and Coping*. San Francisco: Jossey-Bass Publishers; 1979.
- 81 Almedom AM. Resilience, hardiness, sense of coherence, and posttraumatic growth: All paths leading to 'light at the end of the tunnel'? *J Loss Trauma* 2005; **10**: 253–65.
- 82 Kobasa SC. Stressful life events, personality and health: An inquiry into hardiness. *J Personality Social Psychol* 1979; **37**: 1–11.
- 83 Maddi SR, Khoshiba DM. Hardiness and mental health. *J Personality Assessment* 1994; **63**: 265–74.
- 84 Block J, Kremen AM. IQ and ego-resiliency: Conceptual and empirical connections and separateness. *J Personality Social Psychol* 1996; **70**: 349–61.
- 85 Rowe JW, Kahn RL. *Successful Aging. The Gerontologist* 1997; **37**: 433–40.
- 86 Haas BK. A multidisciplinary concept analysis of quality of life. *Western J Nursing Res* 1999; **21**: 728–43.
- 87 Xyrichis A, Ream E. Teamwork: a concept analysis. *J Advanced Nursing* 2008; **61**: 232–41.
- 88 Masten AS, Curtis WJ. Integrating competence and psychopathology: Pathways towards a comprehensive science of adaptation in development. *Dev Psychopathol* 2000; **12**: 529–50.
- 89 Rutter M. Resilience reconsidered: Conceptual considerations, empirical findings, and policy implications. In Shonkoff JP, Meisels SJ (eds), *Handbook of Early Childhood Intervention*, 2nd edn. New York: Cambridge University Press; 2000, pp. 651–82.
- 90 Rogers A, Pilgrim D. *Inequalities and Mental Health*. London: Palgrave Macmillan; 2003.
- 91 Bronfenbrenner U. Ecological models of human development. In Husen T, Postlethwaite TN (eds), *International Encyclopedia of Education*, 2nd edn, vol 3. New York: Elsevier Science; 1994.
- 92 Campbell-Sills L, Cohan SL, Stein MB. Relationship of resilience to personality, coping, and psychiatric symptoms in young adults. *Behav Res Therapy* 2006; **44**: 585–99.
- 93 Sandler I. Quality and ecology of adversity as common mechanisms of risk and resilience. *Am J Community Psychol* 2001; **29**: 19–61.
- 94 Waller MA, Okamoto SK, Miles BW, Hurdle DE. Resiliency factors related to substance use/resistance: Perceptions of native adolescents of the southwest. *J Sociology Social Welfare* 2003; **30**: 79–94.
- 95 Glymour MM, Weuve J, Fay ME, Glass T, Berkman LF. (2008). Social ties and cognitive recovery after stroke: Does social integration promote cognitive resilience? *Neuroepidemiology* 2008; **31**: 10–20.